



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-008174
Licence No : PC001393

Date : 27/10/2025

PGF INSULATION SDN. BHD.
NO. 2449, LORONG PERUSAHAAN 10
PRAI INDUSTRIAL ESTATE
13600 PRAI
PULAU PINANG, MALAYSIA

Attn : MS CHIN WAI FONG

Tel No : 604-3908460

Fax No : 604-3996197

Dear Sir/Madam,

Product Certification Licence

Product : INSULATION MATERIALS (MINERAL WOOL)
Standard : MS 1020 : 2022

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : IRFAN ABDULLAH KHALIT
Contact No : 6013-3416306
Email : irfan@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**PGF INSULATION SDN. BHD.
NO. 2449, LORONG PERUSAHAAN 10
PRAI INDUSTRIAL ESTATE
13600 PRAI
PULAU PINANG, MALAYSIA**

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

INSULATION MATERIALS (MINERAL WOOL)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS 1020 : 2022



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

PGF INSULATION SDN. BHD.



Trade Mark : ECOWOOL
Model : Board; ECOWOOL CLASSIC
Rating : Density range: (24 - 96) kg/m³
Fire Propagation Index: 3.9, 6.8, 6.8, 7.1
Surface Spread of Flame: Class 1
Fire Classification: CLASS 0
Type : Glasswool
Size : Width range: (0.595 - 1.2) m
Length range: (0.595 - 2.3) m
Thickness range: (13 - 50) mm
Test Report No.: 2018CB1030, 2018FE0394, 2018FE0395, 2018FE0425, 2018FE0424,
2018FE0432, 2018FE0433, 2018FE0428, 2018FE0429

Trade Mark : ECOWOOL
Model : Roll; ECOWOOL CLASSIC
Rating : Density range: (10 - 48) kg/m³
Fire Propagation Index: 1.5, 2.7, 4.3, 3.4, 3.8, 7.3
Surface Spread of Flame: Class 1
Fire Classification: CLASS 0
Type : Glasswool
Size : Width: 1.2 m
Length range: (7.5 - 30) m
Thickness range:
1. (10 - 14) kg/m³: 50 mm
2. (14 - 48) kg/m³: (25 - 50) mm
Test Report No.: 2018CB1031, 2018FE0426, 2018FE0427, 2018FE0455, 2018FE0456,
2018FE0457, 2018FE0458, 2018FE0396, 2018FE0397, 2018FE0459, 2018FE0460,
2018FE0399, 2018FE0400

TEST REPORT NO. : 2018CB1030, 2018FE0394, 2018FE0395, 2018FE0425,
2018FE0424, 2018FE0432, 2018FE0433, 2018FE0428,
2018FE0429, 2018CB1031, 2018FE0426, 2018FE0427,
2018FE0455, 2018FE0456, 2018FE0457, 2018FE0458,
2018FE0396, 2018FE0397, 2018FE0459, 2018FE0460,
2018FE0399, 2018FE0400

End of page